TAKING IT TO THE GUT

SARAH WEBB EXAMINES HOW GASTROINTESTINAL ORGANOIDS ARE TRANSFORMING OUR UNDERSTANDING OF BIOLOGY AND HELPING PATIENTS

Ten years ago when cell biologist Meritxell Huch began her postdoctoral research in Hans Clevers' laboratory at the Hubrecht Institute in Utrecht, The Netherlands, she expected to move from studying gene therapy in cell lines to studying stem cells. "They were trying to culture stem cells to make intestinal epithelium *ex vivo*," she explained. When Clevers showed her their first cultures, "I just got super excited," she said.

Huch immediately decided to shift her project to building these types of 3D cell cultures known as organoids, which share many of the properties of tissues. She used the same techniques to build organoids in the stomach and the liver. Now at the Gurdon Institute at the University of Cambridge in the United Kingdom, she continues to use organoids to investigate the regenerative properties of the liver and primary tumors in this tissue.

For decades, researchers have known that cells behave differently in three dimensions than they do in two. A range of tools and scaffolds are now available to help researchers move cell biology from the Petri dish to 3D culture (see Building the Future from 3D Blueprints on page 96), but the combination of 3D culture and stem cell biology has produced the emerging field of organoids [1]. Researchers have produced organoids for many tissue types such as brain, retina, and kidney, and gastrointestinal organoids are one group with a range of burgeoning applications.

Stem cell surprise

Clevers is a pioneer in developing epithelial organoids from mouse and human adult stem cells, but his initial work was an offshoot from a different goal: isolating pure adult stem cells from the gut. Twenty years ago his team discovered that the

Wnt pathway was critical for maintaining cells in the gut and that activating Wnt signaling with mutations triggers colon cancer. Long believed to exist within crypts, the indentations in the rolls of the gut, it took years to find molecular markers to identify these elusive stem cells.

Once they did, the results were unexpected. Overall, these stem cells represent up to 10% of gut cells. This tissue regenerates rapidly, completely replenishing epithelial cells every 4 to 5 days.

Intrigued by this significant and continuously replicating source of adult stem cells, Toshiro Sato, then a postdoctoral researcher in the group, tried to expand them in a dish as pure stem cells. "But we got something very different," Clevers recalled.

When they analyzed the strange-looking structures under a microscope and with single cell sequencing, they found all of the essential components of gut epithelium [2]. "There are crypts. There's a villus-like epithelium. All the cell types are there in normal ratios," Clevers said. Since then, they even identified new cell types within mouse organoids, which they traced back and found in the guts of the animals as well [3]. The cells are not cancerous; when transplanted back into mice, they produce normal, healthy tissue.

Now known as organoids, these mini-tissues allowed Clevers' team to study normal biology within the gut epithelium. They also created biobanks of cancers, including several hundred colon carcinomas. Their culture techniques work for a range of other epithelial tissues, including stomach, liver, breast, and pancreas.

To study the pancreas, they collaborated with David Tuveson's team at Cold Spring Harbor Laboratory in New York. Organoids improve studies of disease because researchers

Hans Clever. Hubrecht Institute in Utrecht, The Netherlands

can control and grow normal tissue organoids under the same conditions as tumor organoids.

Pancreatic cancer has been a challenging disease to study, in part because of the dearth of tissue samples, according to Hervé Tiriác, a researcher in Tuveson's lab. Surgery is only useful for 20 percent of pancreatic cancer patients; the other 80 percent who don't undergo surgery leave behind small samples from a needle biopsy. "We're pretty successful at growing organoids from those types of tissue, even though the amount of solid is very limited," Tiriác said.

Tiriác's team now has cell models that represent the full course of this cancer, from its earliest stages to metastatic disease. These enable them to characterize the tissues using genotyping and transcriptomic analyses. They can also examine drug response in the tissues and look for molecular profiles that indicate how well a patient may respond to treatment [4]. In fact, researchers just reported in *Science* that organoids derived from patients with gastrointestinal tumors could accurately predict patient responses to chemotherapies. [5].

Organoids are also already helping reach the goals of personalized medicine by matching individuals in The Netherlands with cystic fibrosis (CF) with a therapy that can be highly effective for some patients. CF results from a number of genetic mutations that lead to problems in the CFTR protein, which alters the function of ion channels in cells. The effects show up in epithelial tissues, which produce extra mucus in the lung and gut. Kalydeco®, a drug developed by Vertex Pharmaceu-

Meritxell Huch. Hubrecht Institute in Utrecht, The Netherlands

ticals based in Boston (MA, USA) works well in a subset of patients but not in others. It also costs hundreds of thousands of Euros per year, so researchers wanted a way to screen for patients who would respond well to the therapy.

Clevers' team and researchers at a nearby children's hospital demonstrated that they can use a painless biopsy of the gut epithelium to produce organoids for these individuals. Within two weeks, they have a sufficient culture to test for drug efficacy. Under test conditions, organoids from healthy individuals swell in response to salt and water. Organoids from individuals with CF don't respond. If researchers see a normal swelling response when they incubate the CF organoids with the drug, the patient will respond. In 2015, the team first tried this approach with a teenager with CF who was given Kalydeco after a positive organoid test. His condition immediately improved.

Over the last 3 years, Clevers and his colleagues have built a non-profit biobank, Hubrecht Organoid Technology, that serves as a repository for organoids. Dutch health insurance companies are now paying for organoids from all 1500 CF patients in the country, and Vertex pays for tissue access for research and testing. For the insurance companies, the cost of producing organoids, up to 3000 Euros, is a small fraction of the hospital care and drug costs. "For the insurance companies it was a no brainer to say we'll pay you to do this," Clevers said. As new drugs become available, the biobank will help match other CF patients with appropriate therapies.

Organoids also offer a test system for studying environmental pathogens that might be difficult to test on their own. Clevers has examined *H. pylori* infection, the bacterium that causes ulcers, in stomach organoids. Researchers in Texas have grown intestinal organoids using Clevers's method and used them to culture norovirus, a pathogen that researchers had previously struggled to culture *in vitro* [6].

Pluripotent potential

Although the adult stem cell approach has been successful for creating organoid cultures, it has limitations. The organoids that Clevers produces include only epithelial cells with the characteristics of the tissue from which the stem cell originated; his team can't produce other structures within the organoids, such as nerves or blood vessels.

Jim Wells of Cincinnati Children's Hospital (OH, USA) took a different approach for producing gastrointestinal organoids. For the past 20 years, his team has studied how organs develop in embryos. Based on those principles, they recently began producing organoids from pluripotent stem cells—either isolated from embryos or reprogrammed from adult tissues. These cells have the potential to become any cell or tissue: esophagus, stomach, intestine, colon, and to produce other features. Recently, Wells' team described intestinal organoids that contained functioning nerves, allowing them to mimic peristalsis, the movements that propel materials forward as they're digested [7].

Before researchers could produce organoids, animal models were necessary for examining these questions. But animals aren't always the best way to study human organs. For example, the mouse stomach includes a region called

the forestomach, a structure that doesn't exist in humans. Many basic gastrointestinal processes are similar between the species, but others, such as susceptibility to ulcers from *H. pylori*, differ.

"Now what we can do—more or less in real time—is when a patient is identified with a birth defect, we can study that birth defect using our organoids," Wells said. After a simple blood draw, cells can be reprogrammed to produce pluripotent stem cells, which researcher can develop into a range of organoid tissues, including gastrointestinal organs and the pancreas.

Such studies offer opportunities to better understand complex birth defects that affect multiple organs, such as rare cases where babies are born without a pancreas. Without a pancreas, a person can't produce insulin or certain other digestive enzymes. These patients cope with a range of other health problems, some of which haven't been fully explained. Using organoids, Wells and his team have begun to tease out the details behind some of these additional health concerns, including a lack of certain cells in the stomach and the presence of other cells that have transformed into intestine. Such changes are a known risk-factor for gastric cancer—a risk that doctors wouldn't have looked for in a young child.

Culture challenges

Researchers produce organoids using a stepwise procedure that requires carefully tested media and conditions. Clevers' team developed detailed protocols for their organoids, originally using Matrigel®, a scaffold by Corning® (NY, USA) developed from mouse stroma. However, as applications move toward the clinic, they prefer to avoid using animal-derived materials. According to Clevers, synthetic hydrogels will work with the addition of laminin, which seems to be important for supporting epithelial growth. Spurring the organoids to develop requires three essential processes: activating the Wnt pathway, often using R-spondin to ramp up that response; triggering tyrosine kinase receptors (with EGF, for example); and blocking TGF-beta/BMP signaling.

Pancreatic organoids, even those from cancers, are somewhat more

Human normal tissue organoids from the pancreas. Credit: Megan Candice Young.

Human tumor tissue organoids from the pancreas. Credit: Megan Candice Young.

complicated to grow because tumors are heterogeneous and often only 10% of cells from biopsies are cancerous. "There are really good protocols out there, but nothing is trivial," Tiriack said. After the challenge of obtaining sufficient tissue, generating media and testing it for quality are probably the next greatest challenges. Overall, 70% of the organoids that Tiriack's team generates are robust enough for testing. But this approach is the fastest, most

effective way for growing samples of patient-derived cancers, requiring a few weeks to a couple of months. Producing cell lines has a lower success rate, and transplanting xenografts into mice takes a long time. "This is a good compromise between speed and efficacy in terms of generating the model," he said.

Wells' team acquires blood from patients, and with help from the stem cell core facility, reprograms cells into induced pluripotent stem cells over a

period of up to 3 months. With those pluripotent stem cell lines, they mimic organ development using various proteins and chemicals in the media to coax the cells toward changes that produce particular organ systems. For example, in a period of 6 weeks, they can produce stomach organoids that secrete acid.

Although organoids are already powerful research tools with clinical applications, they're still a long way from being used as replacements for damaged tissue. "It should be possible to grow multi-centimeter-long segments of [gastrointestinal] tissue," Wells said. He and his team are actively working in this area. "But there are many hurdles to making them fully functional." Regulatory and safety issues loom large because these cells are grown, not simply transplanted, Clevers explained. It's still unclear whether implanted cells from culture could cause harm by spawning cancers, for example.

Even when produced from pluripotent stem cells, today's organoids do not have embedded vasculature. Without the plumbing of blood vessels to carry in nutrients and ferry out waste products, the size of these structures is limited to a few millimeters in culture. But when implanted in mice, such structures can plug into an animal's circulatory system and continue to grow to centimeter size.

In addition, organoids, no matter the cell source, currently don't have all the features of mature tissues. Teams that have been trying to produce functional pancreatic beta cells from pluripotent stem cells also face this challenge. Wells suspects that there are additional environmental cues in the human body that spur cells to overcome this final step in development. For example, in the gastrointestinal tract, the process of consuming nutrients orally introduces complex bacteria, and that might induce maturation. Triggering peristalsis also might tell the cells in these organs that it's time for them to function. Careful cellular and molecular characterization is critical for understanding exactly how organoids differ from the organs themselves.

Huch recently published her findings on primary liver tumor organoids for modeling disease and screening drugs

[8], and she's excited about the promise of organoids for understanding fundamental biological questions, such as how cells organize themselves within tumors or tissues. Two different tumors from two different patients will show vastly different structures within the same media. "How is this self-assembly, this self-organization being controlled?" she asked.

References

1. **Clevers, H.** 2016. Modeling Development and Disease with Organoids. *Cell* 165:1586-1597.
2. **Sato, T. et al.** 2009. Single Lgr5 stem cells build crypt-villus structures in vitro without a mesenchymal niche. *Nature* 459:262-265.
3. **Grün, D. et al.** 2015. Single-cell messenger RNA sequencing reveals rare intestinal cell types. *Nature* 525:251-255.
4. **Boj, S.F. et al.** 2015. Organoid Models of Human and Mouse Ductal Pancreatic Cancer. *Cell* 160:324-338.
5. **Vlachogiannis, G. et al.** 2018. Patient-derived organoids model treatment response of metastatic gastrointestinal cancers. *Science* 359: 920-926.
6. **Ettayebi, K. et al.** 2016. Replication of Human Noroviruses in Stem Cell-Derived Human Enteroids. *Science* 353:1387-1393.
7. **Workman, M.J. et al.** 2017. Engineered Human Pluripotent-Stem-Cell-Derived Intestinal Tissues with a Functional Enteric Nervous System. *Nature Medicine* 23:49-59.
8. **Broutier, L. et al.** 2017. Human Primary Liver Cancer-Derived Organoid Cultures for Disease Modeling and Drug Screening. *Nature Medicine* 23:1424-1435.

Written by Sarah Webb, PhD.

BioTechniques 64:91-95 (March 2018) doi 10.4155/btn-2017-0119

In pain while pipetting? How accurate can you actually be?

Ovation® users love the patented ergonomic design

"Ovation pipettes are very easy to use. My hands never get tired or hurt."

"Tips fit so well. They're easy to put on and easy to eject."

"Can't remember the last time I had a tip fall off."

Only Ovation Multichannel Pipettes will give you:

- Uniform tip acquisition without "rocking" & "pounding".
- Reliable, consistent filling across all channels.
- Better replicates for better statistical significance.

For more ergonomic info and a **FREE 2-WEEK TRIAL**

"They made the 2-week trial so easy!"

VistaLab[™]
TECHNOLOGIES
Think Differently. Feel Better.

vistalab.com/ovation • +1 914-244-6226
2 Geneva Road, Brewster NY 10509